

Message

---

**From:** Marraccini, Davina [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=66FECFE52DC84D8DB7AB0859ADEE8426-MARRACCINI, DAVINA]  
**Sent:** 7/5/2018 2:31:37 PM  
**BCC:** 'meco.shoulders@mail.house.gov'; 'Moore, Reginald' [Reginald.Moore@mail.house.gov]; 'Robbie Wilbur' [Rwilbur@mdeq.ms.gov]; [Personal Phone / Ex. 6]; [Personal Phone / Ex. 6] 'trey.baker@cityofgrenada.ms'; [Personal Phone / Ex. 6]; [Personal Phone / Ex. 6]; 'Melissa Collier [mcollier@mdeq.ms.gov]; [Personal Phone / Ex. 6]; [Personal Phone / Ex. 6] 'jcrellin@mdeq.ms.gov'; 'Lynn Chambers' [LChambers@mdeq.ms.gov]; 'William McKercher' [wmckercher@mdeq.ms.gov]; 'Phillip Weathersby' [Pweathersby@mdeq.ms.gov]; [Personal Phone / Ex. 6] 'Ferguson, Brad (Wicker)' [Brad\_Ferguson@wicker.senate.gov]; 'myles\_russell@wicker.senate.gov'; 'McMillin, Neal (Wicker)' [Neal\_McMillin@wicker.senate.gov]; 'bo\_bilbo@wicker.senate.gov'; 'ellen\_beares@wicker.senate.gov'; 'chris\_sanders@deq.state.ms.us' [/o=ExchangeLabs/ou=Exchange Administrative Group (FYDIBOHF23SPDLT)/cn=Recipients/cn=74ea23ca0baf4ec58b9dde7e8cd12b28-chris\_sanders@deq.state.ms.us]; 'Gary\_Rikard@deq.state.ms.us'; 'alice.perry@governor.ms.gov'; 'ryan\_annison@wicker.senate.gov'; 'umesh\_sanjanwala@hydesmith.senate.gov'; 'tim\_wolverton@hydesmith.senate.gov'; 'daniel\_ulmer@hydesmith.senate.gov'; Crump, Bill (Hyde-Smith [Bill\_Crump@hydesmith.senate.gov]; Johnny Hayward [jhayward@grenadacountymms.org]  
**Subject:** Grenada - Communication to Residents/Community and Workers  
**Attachments:** Postcard Final Mailout for July Sampling in EH.pdf; Memo Final for Grenada Workers Air Data March-May 2018.pdf

Good afternoon,

Please see the attached postcard that was mailed out yesterday to residents of the Eastern Heights neighborhood in Grenada to inform them of upcoming sampling next week. I have also attached a recent memo to workers at Grenada Stamping informing them of the latest indoor air sampling results showing the treatment system remains effective at keeping TCE levels inside the manufacturing building below risk levels.

Thank you for your interest, and please don't hesitate to reach out with any questions.

Davina Marraccini  
Public Affairs Specialist  
U.S. EPA Region 4  
404-562-8293 (office)  
404-387-4368 (cell)  
404-562-8335 (fax)  
[marraccini.davina@epa.gov](mailto:marraccini.davina@epa.gov)

\*\*\* Save trees! Please don't print this message unless necessary.